

UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010 **Phone :2400852, 2400851, Fax:0651- 2400850 http://www.uppcb.com/**

FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

- 1. File no. of authorisation and date of issue: No:- 11273666 and Date:-07/04/2021
- 2. M/s UTTAR PRADESH WASTE MANAGEMENT PROJECT A DIVISION OF RAMKY ENVIRO ENGINEERS LTD, BASANT KUMAR an occupier or operator of the facility located at Plot No 672 on NH-2 Sikandra Road, Vill-Kumbhi, Tehsil-Akbarpur, Distt-Kanpur Dehat-209101, KANPUR DEHAT, 209101 is hereby granted an authorisation for:

Generation, segregation	Collection	-/
Storage	Transportation	~ ✓
Reception	Use	
Recycling	Offering for sale	
Packaging	Transfer	
Treatment or Processing or Conversion	Disposal or destruction	✓

Any other form of handling

- 3. M/s UTTAR PRADESH WASTE MANAGEMENT PROJECT A DIVISION OF RAMKY ENVIRO ENGINEERS LTD is hereby authorized for handling of biomedical waste as per the capacity given below:
 - (i) Number of beds of HCF: Not applicable
 - (ii) Number of health care facilities covered by CBMWTF: Not applicable
 - (iii) Installed treatment and disposal capacity: 10 TPD
 - (iv) Area or distance covered by CBMWTF: 150 Km
 - (v) Quantity of Biomedical waste handled, treated or disposed: Not applicable
- 4. This authorisation shall be in force for a period of 5 Years Years from the date of issue.
- 5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

Date: 07/04/2021 Ajay Kumar Sharma Place: Plot No 672 on NH-2 Sikandra Road, Vill-

Place: Plot No 672 on NH-2 Sikandra Road, Vill-Kumbhi, Tehsil-Akbarpur, Distt-Kanpur Dehat

Terms and Conditions of Authorisation

- 1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
- 2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
- 3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
- 4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
- 5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
- 6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

Specific Conditions:

- 1. This authorization is valid for disposal of Bio Medical Waste through double chambered incinerator of capacity 2 MT/Hr, Autoclave of capacity 1250 Kg/day and Shredder of capacity-250 kg/hr.
- 2. Incinerator shall be operated in accordance with Bio-Medical Waste Management Rules, 2016 w.r.t. maintenance of Temperature for primary and secondary chamber of incinerator.
- 3. The Authorization shall comply with provisions of the Environment (Protection) Act 1986 and the rules made there under.
- 4. The Authorization or its renewal shall be produced for inspection at the request of an officer, Authorized by the prescribed authority.
- 5. The Authorized person shall not rent, lend, transfer or otherwise transport the bio-Medical waste without obtaining prior permission of the prescribed authority.
- 6. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of this authorization.
- 7. It is duty of the Authorized person to take prior permission of the Board to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
- 8. The CBWTF shall ensure that bio-medical waste shall be treated and disposed off in accordance with schedule I and in compliance the standards prescribed in schedule V of Bio-Medical waste rules.
- 9. Bio- Medical waste shall be segregated into containers/ bags at the point of generation in accordance with schedule-I. Prior to its storage, transportation, treatment and disposal. The Containers shall be labeled according to schedule-IV.
- 10. Bio-Medical waste shall not be mixed with Municipal or other wastes.
- 11. No untreated bio-medical waste shall be kept stored beyond a period of 48 hours. If it becomes necessary to store beyond 48 hours you must take permission of the prescribed authority and to ensure that it does not adversely affect human health and the environment.
- 12. The CBWTF shall submit a regular ambient air monitoring report as well as stack monitoring report of incinerator to the Board to ensure the prescribed norms and regular transport the BMW of the hospital to the incinerator.
- 13. The CBWTF has to maintain the computer recording of online monitoring, automatic feeding system, flow measurement device, water column pressure in the primary chamber.
- 14. Colour Coded and lid covered containers must be used for segregation & collection of bio-medical waste.
- 15. CBWTF shall submit stack monitoring report of approved laboratory on six monthly basis.
- 16. The CBWTF shall submit an annual report to the U.P. Pollution Control Board in from IV by 31st January every year. And include information about the categories and quantities of Bio Medical waste during the preceding year.
- 17. You shall maintain record related to the generation, collection, reception storage, Transportation, treatment and disposal and / or any form of handling of Bio Medical Waste in accordance with rule and guidelines, all records shall be subject to inspection and verification by the Board at any time.
- 18. It is within the power and functions of U.P. Pollution Control Board to modify/ revoke the terms and conditions of Authorization and issued under the Rule 10 of the Bio-Medical waste Management Rules, 2016.
- 19. The CBWTF shall effectively operate and maintain ETP to treat the leachate generated during collection/storage of biomedical waste.
- 20. The CBWTF shall operate and maintain the installed shredder and autoclave.
- 21. Plastic waste shall be disposed through authorized recycler after proper treatment and sterilization.
- 22. The Bio medical waste shall not be disposed-of in open place within the premises.
- 23. The occupier shall ensure the compliance of CTO conditions issued by Board under the provisions of Water (Prevention & Control of Pollution) Act, 1974 under section 25/26 and Air (Prevention & Control of Pollution) Act, 1981 under section 21/22.

Memo No.: 11273666 Dated:07/04/2021

Copy To:

Regional Officer, UPPCB, Kanpur Dehat

Ajay Kumar Sharma CEO-2